

# SBGR

Sao Paulo - Guarulhos


# SAEZ

Ministro Pistarini (Ezeiza)

2024/05/04 1215Z

SBGR CURSE **UM788** BGE **UA314** PONPA **A314** PAPIX SAEZ

931.06 nm / 1724.32 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 28000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SBGR	-	-23.43233	0 ft	-	Sao Paulo - Guarulhos
APT	-	-46.46968	0 m		
CURSE	-	-24.15200	20,500 ft	57	-
FIX	-	-47.16267	6,248 m		
PNG	UM788	-25.53467	34,000 ft	111	PARANAGUA NDB
NDB	AWY-HI	-48.53083	10,363 m		
DELAY	UM788	-26.06617	34,000 ft	40	-
FIX	AWY-HI	-49.00450	10,363 m		
NAFIL	UM788	-26.76367	34,000 ft	53	-
FIX	AWY-HI	-49.63500	10,363 m		
MOVER	UM788	-27.29117	34,000 ft	40	-
FIX	AWY-HI	-50.11867	10,363 m		
PENSO	UM788	-28.04633	34,000 ft	58	-
FIX	AWY-HI	-50.82200	10,363 m		
ASDEK	UM788	-28.59483	34,000 ft	42	-
FIX	AWY-HI	-51.34133	10,363 m		
BAKER	UM788	-29.12567	34,000 ft	41	-
FIX	AWY-HI	-51.85083	10,363 m		
DONOR	UM788	-30.45250	34,000 ft	104	-
FIX	AWY-HI	-53.15650	10,363 m		
BGE	UM788	-31.39067	34,000 ft	74	BAGE VOR
VOR	AWY-HI	-54.10983	10,363 m		
ISALA	UA314	-31.67611	34,000 ft	24	-
FIX	AWY-HI	-54.44639	10,363 m		
DALGO	UA314	-32.55444	34,000 ft	75	-
FIX	AWY-HI	-55.50361	10,363 m		
DUR	UA314	-33.35625	28,700 ft	69	DURAZNO VOR-DME
VOR	AWY-HI	-56.49606	8,748 m		
PONPA	UA314	-33.94028	24,500 ft	53	-
FIX	AWY-HI	-57.31639	7,468 m		
PAPIX	A314	-34.41611	7,600 ft	44	-
FIX	AWY-LO	-58.00056	2,316 m		
SAEZ	-	-34.82138	0 ft	35	Ministro Pistarini (Ezeiza)
APT	-	-58.53273	0 m		

## SBGR

Region: BRAZIL  
Timezone: AMERICA/SAO\_PAULO  
Runways: 2

Elevation: 2,461 ft / 750 m  
Location: -23.432300 -46.469500  
Magnetic Var: 22.207 W

## METAR

SBGR 041200Z 07009KT CAVOK 23/19 Q1020

## TAF

TAF SBGR 040430Z 0406/0512 07005KT CAVOK TN18/0409Z TX32/0417Z BECMG 0407/0409 4000 BR SCT008 BECMG 0410/0413 3500

## Frequencies

REC - 127.75 MHz - GUARULHOS ATIS	CLD - 121.00 MHz - GUARULHOS CLEARANCE
GND - 121.70 MHz - GUARULHOS GROUND	GND - 126.90 MHz - GUARULHOS GROUND
TWR - 118.40 MHz - GUARULHOS TOWER	TWR - 132.75 MHz - GUARULHOS TOWER
TWR - 135.20 MHz - GUARULHOS TOWER	APP - 129.75 MHz - SAO PAULO APPROACH
APP - 119.15 MHz - SAO PAULO APPROACH	APP - 120.45 MHz - SAO PAULO APPROACH
APP - 120.85 MHz - SAO PAULO APPROACH	APP - 133.85 MHz - SAO PAULO APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09L	148 ft	12,131 ft	73.60	ASPHALT	295 ft	190 ft
	45 m	3,698 m	95.81		90 m	58 m
27R	148 ft	12,131 ft	253.59	ASPHALT	200 ft	194 ft
	45 m	3,698 m	275.79		61 m	59 m
09R	148 ft	9,832 ft	73.60	ASPHALT	0 ft	194 ft
	45 m	2,997 m	95.81		0 m	59 m
27L	148 ft	9,832 ft	253.59	ASPHALT	0 ft	194 ft
	45 m	2,997 m	275.80		0 m	59 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	LOC-ILS	IUC	110.70 MHz	18 nm	73.59	-	2,461 ft
				33 km	95.80		2,461 m
09R	LOC-ILS	IGR	111.50 MHz	18 nm	73.60	-	2,461 ft
				33 km	95.81		2,461 m
27L	LOC-ILS	IBC	111.10 MHz	18 nm	253.60	-	2,459 ft
				33 km	275.81		2,459 m
27R	LOC-ILS	IGS	111.90 MHz	18 nm	253.59	-	2,459 ft
				33 km	275.80		2,459 m
09L	GS	IUC	110.70 MHz	10 nm	73.59	3.00	2,461 ft
				19 km	95.80		2,461 m
09R	GS	IGR	111.50 MHz	10 nm	73.60	2.92	2,461 ft
				19 km	95.81		2,461 m
27L	GS	IBC	111.10 MHz	10 nm	253.60	3.00	2,459 ft
				19 km	275.81		2,459 m
27R	GS	IGS	111.90 MHz	10 nm	253.59	3.00	2,458 ft
				19 km	275.80		2,458 m

## SAEZ

Region: ARGENTINA

Timezone: AMERICA/ARGENTINA/BUENOS\_AIRES

Runways: 2

Elevation: 66 ft / 20 m

Location: -34.822000 -58.532600

Magnetic Var: 9.807 W

## METAR

SAEZ 041200Z 08004KT 9000 NSC 13/11 Q1014 NOSIG

## TAF

TAF SAEZ 041100Z 0412/0512 06010KT 9999 SCT009 TX19/0418Z TN08/0412Z BECMG 0413/0414 BKN009 BECMG 0416/0418 9999

## Frequencies

REC - 127.80 MHz - ATIS

GND - 121.75 MHz - EZEIZA GROUND

APP - 119.90 MHz - EZEIZA APPROACH

CLD - 127.10 MHz - EZEIZA CLEARANCE

TWR - 118.60 MHz - EZEIZA TOWER

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	197 ft	10,801 ft	102.32	ASPHALT	0 ft	85 ft
	60 m	3,292 m	112.13		0 m	26 m
29	197 ft	10,801 ft	282.30	ASPHALT	0 ft	102 ft
	60 m	3,292 m	292.11		0 m	31 m
17	148 ft	10,226 ft	164.07	ASPHALT	0 ft	105 ft
	45 m	3,117 m	173.88		0 m	32 m
35	148 ft	10,226 ft	344.07	ASPHALT	991 ft	92 ft
	45 m	3,117 m	353.87		302 m	28 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	DME	PC	110.10 MHz	18 nm	-	-	66 ft
				33 km	-		66 m
35	DME	EZ	108.70 MHz	18 nm	-	-	66 ft
				33 km	-		66 m
11	LOC-ILS	PC	110.10 MHz	18 nm	102.31	-	66 ft
				33 km	112.12		66 m
35	LOC-ILS	EZ	108.70 MHz	18 nm	344.07	-	66 ft
				33 km	353.88		66 m
11	GS	PC	110.10 MHz	10 nm	102.31	3.00	66 ft
				19 km	112.12		66 m
35	GS	EZ	108.70 MHz	10 nm	344.07	3.00	66 ft
				19 km	353.88		66 m