

YBRM

Broome Intl


YPPH

Perth International

2024/05/03 0633Z

YBRM BUDLO **Q38** REVOP YPPH

907.88 nm / 1681.40 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
YBRM	-	-17.94870	0 ft	-	Broome Intl
APT	-	122.22700	0 m	-	
BUDLO	-	-18.78490	21,300 ft	59	-
FIX	-	121.65700	6,492 m	-	
DONDI	Q38	-19.81640	35,000 ft	64	-
FIX	AWY-HI	121.34800	10,668 m	-	
NWN	Q38	-23.42110	35,000 ft	233	NEWMAN
VOR	AWY-HI	119.80300	10,668 m	-	
OPALL	Q38	-26.57860	35,000 ft	203	-
FIX	AWY-HI	118.45200	10,668 m	-	
WEEDA	Q38	-27.91540	35,000 ft	86	-
FIX	AWY-HI	117.85600	10,668 m	-	
DALWU	Q38	-30.24460	23,500 ft	150	-
FIX	AWY-HI	116.77900	7,163 m	-	
REVOP	Q38	-30.55350	19,200 ft	20	-
FIX	AWY-HI	116.63200	5,852 m	-	
YPPH	-	-31.93980	0 ft	89	Perth International
APT	-	115.96700	0 m	-	

YPPH

Region: AUSTRALIA
Timezone: AUSTRALIA/PERTH
Runways: 2

Elevation: 67 ft / 20 m
Location: -31.939800 115.967000
Magnetic Var: 1.732 W

METAR

YPPH 030600Z 23010KT 9999 BKN042 23/11 Q1021

TAF

TAF YPPH 030503Z 0306/0412 23012KT 9999 BKN035 FM031200 17008KT 9999 SCT040 FM031600 13005KT CAVOK FM040400 23010

Frequencies

REC - 113.70 MHz - PERTH ATIS	APP - 123.60 MHz - PERTH APPROACH
DEP - 118.70 MHz - PERTH DEPARTURE	TWR - 127.40 MHz - PERTH TOWER
GND - 121.70 MHz - PERTH GROUND WEST	GND - 122.20 MHz - PERTH GROUND EAST
CLD - 118.55 MHz - PERTH CLEARANCE DELIVERY	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	7,100 ft	58.88	ASPHALT	0 ft	217 ft
	45 m	2,164 m	60.62		0 m	66 m
24	148 ft	7,100 ft	238.87	ASPHALT	0 ft	220 ft
	45 m	2,164 m	240.61		0 m	67 m
03	148 ft	11,307 ft	13.88	ASPHALT	0 ft	302 ft
	45 m	3,446 m	15.61		0 m	92 m
21	148 ft	11,307 ft	193.88	ASPHALT	0 ft	210 ft
	45 m	3,446 m	195.61		0 m	64 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03	DME	IPN	110.10 MHz	18 nm	-	-	75 ft
				33 km	-		75 m
21	DME	IGD	109.50 MHz	18 nm	-	-	67 ft
				33 km	-		67 m
24	DME	IPH	109.90 MHz	18 nm	-	-	67 ft
				33 km	-		67 m
03	LOC-ILS	IPN	110.10 MHz	18 nm	13.88	-	67 ft
				33 km	15.61		67 m
21	LOC-ILS	IGD	109.50 MHz	18 nm	193.87	-	67 ft
				33 km	195.60		67 m
24	LOC-ILS	IPH	109.90 MHz	18 nm	238.88	-	67 ft
				33 km	240.61		67 m
03	GS	IPN	110.10 MHz	10 nm	13.88	3.00	67 ft
				19 km	15.61		67 m
21	GS	IGD	109.50 MHz	10 nm	193.87	3.00	67 ft
				19 km	195.60		67 m
24	GS	IPH	109.90 MHz	10 nm	238.88	3.00	67 ft
				19 km	240.61		67 m