

EPGD

Gdansk Lech Walesa


LFPG

Paris Charles De Gaulle

2024/05/23 0249Z

EPGD LUXAL **L730** VAVUN **Z491** BODLA **UZ717** PODUS **UL619** VIBIS **UZ717** ABAMI **T884** AGENI **UZ158** LNO **UZ707**
FAMEN LFPG

680.16 nm / 1259.65 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EPGD	-	54.37620	0 ft	-	Gdansk Lech Walesa
APT	-	18.47190	0 m		
LUXAL	-	53.91560	26,100 ft	73	-
FIX	-	16.54310	7,955 m		
GOBRA	L730	53.58470	35,000 ft	35	-
FIX	AWY-HI	15.70250	10,668 m		
UNVOX	L730	53.51420	35,000 ft	7	-
FIX	AWY-HI	15.52640	10,668 m		
VAVUN	L730	53.47530	35,000 ft	7	-
FIX	AWY-HI	15.33310	10,668 m		
ROVEK	Z491	53.37890	35,000 ft	17	-
FIX	AWY-HI	14.88170	10,668 m		
BODLA	Z491	53.27580	35,000 ft	18	-
FIX	AWY-HI	14.41000	10,668 m		
RAKIT	UZ717	53.17860	35,000 ft	18	-
FIX	AWY-HI	13.91100	10,668 m		
BEKBA	UZ717	53.13190	35,000 ft	8	-
FIX	AWY-HI	13.67530	10,668 m		
GOLBO	UZ717	53.12000	35,000 ft	2	-
FIX	AWY-HI	13.61580	10,668 m		
GUDOP	UZ717	53.02970	35,000 ft	16	-
FIX	AWY-HI	13.17080	10,668 m		
PODUS	UZ717	52.95920	35,000 ft	13	-
FIX	AWY-HI	12.83060	10,668 m		
VIBIS	UL619	52.97520	35,000 ft	17	-
FIX	AWY-HI	12.33860	10,668 m		
INDOK	UZ717	52.95140	35,000 ft	7	-
FIX	AWY-HI	12.13220	10,668 m		
GARLU	UZ717	52.82920	35,000 ft	37	-
FIX	AWY-HI	11.11810	10,668 m		
AMALI	UZ717	52.47970	35,000 ft	33	-
FIX	AWY-HI	10.40640	10,668 m		
DLE	UZ717	52.25030	35,000 ft	23	LEINE
VOR	AWY-HI	9.88349	10,668 m		
PIROT	UZ717	52.05340	35,000 ft	26	-
FIX	AWY-HI	9.23690	10,668 m		
EXOBA	UZ717	51.76720	35,000 ft	37	-
FIX	AWY-HI	8.32694	10,668 m		
IRBUP	UZ717	51.49060	35,000 ft	35	-
FIX	AWY-HI	7.47722	10,668 m		
ABAMI	UZ717	51.42500	35,000 ft	8	-
FIX	AWY-HI	7.28056	10,668 m		
NEREL	T884	51.08750	35,000 ft	33	-
FIX	AWY-HI	6.56306	10,668 m		
AGENI	T884	50.75000	35,000 ft	28	-
FIX	AWY-LO	6.03333	10,668 m		
LNO	UZ158	50.58580	33,100 ft	15	OLNO
VOR	AWY-HI	5.71028	10,089 m		
RASCA	UZ707	50.14570	24,200 ft	41	-
FIX	AWY-HI	4.88122	7,376 m		
FAMEN	UZ707	49.97500	20,800 ft	15	-
FIX	AWY-HI	4.56667	6,340 m		
LFPG	-	49.00970	0 ft	97	Paris Charles De Gaulle
APT	-	2.56257	0 m		

EPGD

Region: POLAND
Timezone: EUROPE/WARSAW
Runways: 1

Elevation: 488 ft / 149 m
Location: 54.376200 18.471900
Magnetic Var: 6.335 E

METAR

EPGD 230230Z 12007KT CAVOK 16/11 Q1012

TAF

TAF EPGD 222330Z 2300/2324 06007KT CAVOK BECMG 2307/2310 12012KT TEMPO 2310/2318 -SHRA BKN030CB PROB40 TEMPO 2310

Frequencies

REC - 129.62 MHz - ATIS
APP - 127.27 MHz - GDANSK APP

TWR - 118.10 MHz - GDANSK TWR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	148 ft	9,162 ft	112.97	ASPHALT	0 ft	0 ft
	45 m	2,793 m	106.64		0 m	0 m
29	148 ft	9,162 ft	293.01	ASPHALT	0 ft	0 ft
	45 m	2,793 m	286.67		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
29	DME	IGDA	110.30 MHz	18 nm	-	-	492 ft
				33 km	-		492 m
29	LOC-ILS	IGDA	110.30 MHz	18 nm	292.99	-	488 ft
				33 km	286.65		488 m
29	GS	IGDA	110.30 MHz	10 nm	292.99	3.00	488 ft
				19 km	286.65		488 m

LFPG

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 4

Elevation: 392 ft / 119 m
Location: 49.009700 2.562570
Magnetic Var: 1.500 E

METAR

LFPG 230230Z 24005KT 8000 NSC 12/12 Q1015 NOSIG

TAF

TAF LFPG 222300Z 2300/2406 20005KT CAVOK TX18/2315Z TN12/2302Z PROB40 TEMPO 2300/2305 4000 BR TEMPO 2312/2322 4000

Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.81		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.85		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.82		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.85		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.83		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.85		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.80		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.84		597 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm	-	-	338 ft
				33 km	-		338 m
27L	DME	CGW	110.70 MHz	18 nm	-	-	407 ft
				33 km	-		407 m
27R	DME	PNW	110.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm	85.33	-	392 ft
				33 km	83.83		392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm	85.34	-	392 ft
				33 km	83.84		392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm	85.33	-	392 ft
				33 km	83.83		392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm	85.32	-	392 ft
				33 km	83.82		392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm	265.34	-	392 ft
				33 km	263.84		392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm	265.33	-	392 ft
				33 km	263.83		392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm	265.32	-	392 ft
				33 km	263.82		392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm	265.33	-	392 ft
				33 km	263.83		392 m
08L	GS	GLE	108.70 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.83		392 m
08R	GS	DSE	108.55 MHz	10 nm	85.34	3.00	392 ft
				19 km	83.84		392 m
09L	GS	PNE	109.35 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.83		392 m
09R	GS	CGE	110.10 MHz	10 nm	85.32	3.00	392 ft
				19 km	83.82		392 m
26L	GS	DSU	108.35 MHz	10 nm	265.34	3.00	392 ft
				19 km	263.84		392 m
26R	GS	GAU	111.95 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.83		392 m
27L	GS	CGW	110.70 MHz	10 nm	265.32	3.00	392 ft
				19 km	263.82		392 m
27R	GS	PNW	110.35 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.83		392 m